Measures You Can Trust





A RICE LAKE WEIGHING SYSTEMS COMPANY





TABLE OF CONTENTS

| INTRODUCTION | 4 |
|--|-----------|
| Company and services | 4 |
| An international group | 6 |
| Metrology at a glance | 8 |
| CALIBRATION SERVICES | 15 |
| Calibration of weight sets | 16 |
| Calibration of single weights | 18 |
| Calibration of single range scale s | 19 |
| Calibration of multi-range and | |
| multi-division scales | 20 |
| Calibration of pipettes | 21 |
| PRODUCTS | <u>23</u> |
| Weight sets | <u>24</u> |
| M1 | |
| - Aluminium case | 24 |
| - Wood case | 26 |
| F1 | |
| - Aluminium case | 28 |
| - Wood case | 30 |
| E2 | |
| - Aluminium case | 32 |
| - Wood case | 34 |
| Single weights | 36 |
| M1 | |
| - Stainless steel | 36 |
| - Cast-iron | 40 |
| - Heavy masses | 42 |
| - Disc masses | 43 |
| F1 | |
| - Stainless steel | 44 |
| E2 | |
| - Stainless steel | 48 |
| E1 | |
| - Stainless steel | 52 |
| SALES CONDITIONS | 56 |

Company and Services

Since 1983, the CIBE metrology laboratory has specialised in offering testing, calibration and certification services of masses, weights and weighing instruments, and it's a benchmark of reference in technical and legal metrology in Europe.

CIBE is also certified in accordance with **UNI EN ISO 9001:2015** standard for trading masses and metrology consulting.

Calibration service

OF WEIGHTS, SCALES AND OTHER INSTRUMENTS

CIBE is ISO/IEC 17025:2017 accredited for the calibration and periodic verification of weights, non-automatic weighing instruments (scales), checkweighers and gravimetric filling machines.

Training activities

AND METROLOGICAL TOPIC DISSEMINATION

CIBE is the benchmark in
Europe for ongoing metrology
training activities. The company
regularly organises courses and
webinars, including customised
programmes, on the most
interesting and topical issues.
Go to our dedicated page to keep
up to date with our activities
calendar:




Periodic verifications

OF NAWI AND AWI INSTRUMENTS

CIBE provides (for Italy only) a timely and efficient accredited periodic verification service for non-automatic weighing instruments (NAWI) and automatic weighing instruments (AWI).



CIBE Headquarters Legnano (Milan - Italy)



An international group



Leading international group in weighing and automated process control.

Rice Lake (WI), USA



A laboratory specialising in weight and scale calibration services, periodic verification of weighing instruments and metrology training.

Legnano (MI), Italy





Company with over 100 years experience in the weighing sector. Wide range of solutions for industrial environments, logistics and more.

Fiorano Modenese (MO), Italy



Specialists in the production of bench and hanging scales, automatic packaging machines and much more, all for the retail sector.

Fiorano Modenese (MO), Italy





Company specialising in development and production of electronic instruments.

Fornacette (PI), Italy



Consultant and support provider for professional weighing with multiple installations worldwide.

Fiorano Modenese (MO), Italy

Metrology at a glance

EA

EUROPEAN CO-OPERATION FOR ACCREDITATION

EA is the European co-operation for Accreditation of national accreditation bodies organised to define and maintain an agreement on mutual recognition and equivalence of accreditations, test reports and calibration certificates issued by accredited metrology laboratories.

ILAC

INTERNATIONAL LABORATORY ACCREDITATION COOPERATION

ILAC is an international organisation that has enabled, facilitated and promoted international acceptance of test and calibration results performed by accredited laboratories.

ACCREDIA is the Italian accreditation body and a member of ILAC.

The calibration certificates issued by CIBE are accredited by ACCREDIA and recognised internationally, not only in Europe.

ISO/IEC 17025:2017

GENERAL REQUIREMENTS FOR THE COMPETENCE OF TESTING AND CALIBRATION LABORATORIES

The international standard ISO/IEC 17025:2017 establishes the general requirements of competence, impartiality and regular and consistent operation for calibration laboratories.

CIBE is accredited by ACCREDIA, as a calibration laboratory, in accordance with ISO/IEC 17025:2017.


Measurement uncertainty

The concept of measurement uncertainty is useful for correctly interpreting measurement data. In practice, it is never possible to determine the real value of a magnitude to be measured (e.g. a mass) and only an approximate value can be achieved. This is generally because the instruments and the measurement method are extremely accurate but inherently not "perfect". The concept of measurement uncertainty indicates how close the result of a measurement is to the true value. A lower measurement uncertainty means a lower potential deviation of the measured value from the true value of the magnitude.

CIBE calibrates masses, scales and other weighing instruments always firmly committed to ensuring the highest international standards.

Visit **en.cibelab.it** website for more details and consult our accreditation table that shows the best uncertainty values that CIBE can offer.

Weight classification



OIML-R111 Recommendation

The International Legal Metrology Organisation has defined the division of weights into accuracy classes that also take into account the maximum permissible error with respect to the nominal value of the weight. Having weights whose error is less than or equal to 1/3 of the MPE of the instrument under test is necessary when fine-tuning and verifying the calibration of a weighing instrument.

In simplified terms, the weight class can be chosen according to the scheme outlined above.

EA member accreditation bodies



Maximum permissible error from the nominal weight value for each OIML class




TABLE OF REFERENCE VALUES

| Nominal value | E1 ± mg | E2 | F1 + mg | F2 ± mg | M1 ± mg | M1-2 | M2 ± mg | M2-3 | M3 + mg |
|------------------|------------|-------|---------|------------|------------|---------|------------|-----------|------------|
| | | ± mg | ± mg | | | ± mg | ± mg | ± mg | ± mg |
| 1 mg | 0,003 | 0,006 | 0,020 | 0,06 | 0,20 | | | | |
| 2 mg | 0,003 | 0,006 | 0,020 | 0,06 | 0,20 | | | | |
| 5 mg | 0,003 | 0,006 | 0,020 | 0,06 | 0,20 | | | | |
| 10 mg | 0,003 | 0,008 | 0,025 | 0,08 | 0,25 | | | | |
| 20 mg | 0,003 | 0,010 | 0,03 | 0,10 | 0,3 | | | | |
| 50 mg | 0,004 | 0,012 | 0,04 | 0,12 | 0,4 | | | | |
| 100 mg | 0,005 | 0,016 | 0,05 | 0,16 | 0,5 | | 1,6 | | |
| 200 mg | 0,006 | 0,020 | 0,06 | 0,20 | 0,6 | | 2,0 | | |
| 500 mg | 0,008 | 0,025 | 0,08 | 0,25 | 0,8 | | 2,5 | | |
| 1 g | 0,010 | 0,03 | 0,10 | 0,3 | 1,0 | | 3,0 | | 10 |
| 2 g | 0,012 | 0,04 | 0,12 | 0,4 | 1,2 | | 4,0 | | 12 |
| 5 g | 0,016 | 0,05 | 0,16 | 0,5 | 1,6 | | 5,0 | | 16 |
| 10 g | 0,020 | 0,06 | 0,20 | 0,6 | 2,0 | | 6,0 | | 20 |
| 20 g | 0,025 | 0,08 | 0,25 | 0,8 | 2,5 | | 8,0 | | 25 |
| 50 g | 0,03 | 0,10 | 0,3 | 1,0 | 3,0 | | 10 | | 30 |
| 100 g | 0,05 | 0,16 | 0,5 | 1,6 | 5,0 | | 16 | | 50 |
| 200 g | 0,10 | 0,3 | 1,0 | 3,0 | 10 | | 30 | | 100 |
| 500 g | 0,25 | 0,8 | 2,5 | 8,0 | 25 | | 80 | | 250 |
| 1 kg | 0,5 | 1,6 | 5,0 | 16 | 50 | | 160 | | 500 |
| 2 kg | 1,0 | 3,0 | 10 | 30 | 100 | | 300 | | 1.000 |
| 5 kg | 2,5 | 8,0 | 25 | 80 | 250 | | 800 | | 2.500 |
| 10 kg | 5,0 | 16 | 50 | 160 | 500 | | 1.600 | | 5.000 |
| 20 kg | 10 | 30 | 100 | 300 | 1.000 | | 3.000 | | 10.000 |
| 50 kg | 25 | 80 | 250 | 800 | 2.500 | 5.000 | 8.000 | 16.000 | 25.000 |
| 100 kg | | 160 | 500 | 1.600 | 5.000 | 10.000 | 16.000 | 30.000 | 50.000 |
| 200 kg | | 300 | 1.000 | 3.000 | 10.000 | 20.000 | 30.000 | 60.000 | 100.000 |
| 500 kg | | 800 | 2.500 | 8.000 | 25.000 | 50.000 | 80.000 | 160.000 | 250.000 |
| 1.000 kg | | 1.600 | 5.000 | 16.000 | 50.000 | 100.000 | 160.000 | 300.000 | 500.000 |
| 2.000 kg | | | 10.000 | 30.000 | 100.000 | 200.000 | 300.000 | 600.000 | 1.000.000 |
| 5.000 kg | | | 25.000 | 80.000 | 250.000 | 500.000 | 800.000 | 1.600.000 | 2.500.000 |

Classification of scales

According to OIML documents R 76-1 and EN 45501, scales for legal metric use are divided into the following accuracy classes:



Accuracy class of scales

| ACCURACY CLASS | DIVISION e | MINIMUM NUMBER OF DIVISIONS n _{Min} | MAXIMUM NUMBER OF DIVISIONS n _{Max} | MINIMUM CAPACITY Min |
|-------------------------|----------------------|--|--|----------------------------|
| special | 0,001 g < e | | | 100e |
| II | 0,001 g < e < 0,05 g | 100 | 100.000 | 20e |
| high | 0,1 g < e | 5.000 | 100.000 | 50e |
| III | 0,1 g < e < 2 g | 100 | 10.000 | 20e |
| medium | 5 g < e | 500 | 10.000 | 20e |
| IIII ordinary | 7976 | | 1.000 | 10e |

Descriptive classification of scales

Depending on their division, the scales can be subdivided as follows:

| DESCRIPTIVE CLASSIFICATION | Division value d | OIML relevant class |
|--------------------------------|---------------------------------------|------------------------|
| Industrial and ordinary scales | ≥1g | III, IIII |
| Technical scales | 10 ⁻¹ ÷ 10 ⁻³ g | 1, 11 |
| Analytical balances | ≤ 10 ⁻⁴ g | 1 |
| • Semi-micro balances | 10 ⁻⁵ g | |
| • Micro balances | 10 ⁻⁶ g | |
| • Ultra-micro balances | 10 ⁻⁷ g | |

Weighing ranges of scales

Furthermore, scales differ in their weighing range. Scales can therefore be:

SINGLE RANGE SCALE

Instrument with weighing range from zero to the maximum capacity (Max).

MULTI-RANGE SCALES

Instruments with two or more weighing ranges that have different maximum capacity (Max) and division (d) for each field. Each weighing range starts from zero up to its Max. It is permissible to automatically switch to the upper weighing range, but to return to the lower weighing range, it is necessary to switch from zero by unloading the scale. On some instruments the range is selectable by pressing a special key or activating a special menu.

MULTI-DIVISION SCALES

Instruments with a single weighing range divided into partial ranges, each with a different division.
The partial weighing range and its division are determined automatically by the instrument, without the need for zero crossing, according to the applied load.

Minimum weight certificate

A very important aspect to consider when choosing a scale to weigh a specific sample is the minimum weight. Linearity, repeatability and resolution data alone can be limiting in the choice, as they do not consider the uncertainty of use.

The minimum weight, determined according to the considerations in the EURAMET cg-18 guide, represents the smallest amount of a sample that can be weighed on a specific scale in order to meet a specified relative accuracy requirement.

The certificate is available for each type of scale.

| SERVICE | DESCRIPTION | CODE |
|------------------------------|----------------------------------|------|
| Minimum weight certificate * | In accordance with EURAMET cg-18 | СРМ |

^(*) Non-accredited activity

FAC-SIMILE MINIMUM WEIGHT CERTIFICATE

SCALE DATA

| User | CIBE |
|------------------|------------|
| Object | Scale |
| Manufacturer | хух |
| Model | XXXXX |
| Serial number | 12345678 |
| Calibration date | aaaa-mm-gg |

| Field | Capacity | Resolution |
|-------|----------|------------|
| 1 | 810 g | 0,01 g |

Environment

| Place of use | Average temperature during calibration (°C) |
|--------------|---|
| XXX | 25,3 |

ESTIMATED UNCERTAINTY OF USE

| | Field | Equation for estimating the weighing uncertainty in use (formula 7.5.2-3e) |
|---|-------------|--|
| 1 | 0 g - 810 g | U = 0,015 g + 0,011451 * R |

MINIMUM WEIGHT CALCULATION

| Required tolerance requirement | 1/1 (SF=1) g | 1/2 (SF=2) g | 1/3 (SF=3) g | 1/5 (SF=5) g | 1/10 (SF=10) g |
|--------------------------------------|----------------------|----------------------|--------------------|--------------------|----------------------|
| 0.1% | 15,288 | 32,297 | 51,336 | 97,153 | 293,828 |
| 0.2% | 7,446 | 15,288 | 23,560 | 41,541 | 97,153 |
| 0.5% | 2,933 | 5,926 | 8,981 | 15,288 | 32,297 |
| 1% | 1,459 | 2,933 | 4,421 | 7,446 | 15,288 |
| 2% | 0,728 | 1,459 | 2,194 | 3,675 | 7,446 |
| 5% | 0,291 | 0,582 | 0,874 | 1,459 | 2,933 |



Calibration

WEIGHT SETS
SINGLE WEIGHTS
SINGLE RANGE SCALES
MULTI-RANGE SCALES
PIPETTES



PIPETTES

Ε

E2



Calibration of Weight Sets

ACCREDIA calibration service for weight sets with the issue of a calibration certificate. Calibration makes it possible to assess the compliance of weights with the requirements for their use and to make more precise and reliable measurements.

Service available for M1, F2, F1 and E2 class weights.

| ACCURACY CLASS | WEIGHT SET | CODE |
|----------------|---------------|-----------|
| | 1 mg - 500 mg | CWSM1M05 |
| | 1 mg - 50 g | CWSM1M50 |
| | 1 mg - 100 g | CWSM1M100 |
| | 1 mg - 200 g | CWSM1M200 |
| | 1 mg - 500 g | CWSM1M500 |
| | 1 mg - 1 kg | CWSM1MK1 |
| | 1 mg - 2 kg | CWSM1MK2 |
| | 1 mg - 5 kg | CWSM1MK5 |
| M1 | 1 mg - 10 kg | CWSM1MK10 |
| | 1 g - 50 g | CWSM150 |
| | 1 g - 100 g | CWSM1100 |
| | 1 g - 200 g | CWSM1200 |
| | 1 g - 500 g | CWSM1500 |
| | 1 g - 1 kg | CWSM1K1 |
| | 1 g - 2 kg | CWSM1K2 |
| | 1 g - 5 kg | CWSM1K5 |
| | 1 g - 10 kg | CWSM1K10 |
| | 1 mg - 500 mg | CWSF2M05 |
| | 1 mg - 50 g | CWSF2M50 |
| | 1 mg - 100 g | CWSF2M100 |
| | 1 mg - 200 g | CWSF2M200 |
| | 1 mg - 500 g | CWSF2M500 |
| | 1 mg - 1 kg | CWSF2MK1 |
| | 1 mg - 2 kg | CWSF2MK2 |
| | 1 mg - 5 kg | CWSF2MK5 |
| F2 | 1 mg - 10 kg | CWSF2MK10 |
| | 1 g - 50 g | CWSF250 |
| | 1 g - 100 g | CWSF2100 |
| | 1 g - 200 g | CWSF2200 |
| | 1 g - 500 g | CWSF2500 |
| | 1 g - 1 kg | CWSF2K1 |
| | 1 g - 2 kg | CWSF2K2 |
| | 1 g - 5 kg | CWSF2K5 |
| | 1 g - 10 kg | CWSF2K10 |

3

Ξ





| ACCURACY CLASS | WEIGHT SET | CODE |
|----------------|---------------|-----------|
| | 1 mg - 500 mg | CWSF1M05 |
| | 1 mg - 50 g | CWSF1M50 |
| | 1 mg - 100 g | CWSF1M100 |
| | 1 mg - 200 g | CWSF1M200 |
| | 1 mg - 500 g | CWSF1M500 |
| | 1 mg - 1 kg | CWSF1MK1 |
| | 1 mg - 2 kg | CWSF1MK2 |
| | 1 mg - 5 kg | CWSF1MK5 |
| F1 | 1 mg - 10 kg | CWSF1MK10 |
| | 1 g - 50 g | CWSF150 |
| | 1 g - 100 g | CWSF1100 |
| | 1 g - 200 g | CWSF1200 |
| | 1 g - 500 g | CWSF1500 |
| | 1 g - 1 kg | CWSF1K1 |
| | 1 g - 2 kg | CWSF1K2 |
| | 1 g - 5 kg | CWSF1K5 |
| | 1 g - 10 kg | CWSF1K10 |
| | 1 mg - 500 mg | CWSE2M05 |
| | 1 mg - 50 g | CWSE2M50 |
| | 1 mg - 100 g | CWSE2M100 |
| | 1 mg - 200 g | CWSE2M200 |
| | 1 mg - 500 g | CWSE2M500 |
| | 1 mg - 1 kg | CWSE2MK1 |
| | 1 mg - 2 kg | CWSE2MK2 |
| | 1 mg - 5 kg | CWSE2MK5 |
| E2 | 1 mg - 10 kg | CWSE2MK10 |
| | 1 g - 50 g | CWSE250 |
| | 1 g - 100 g | CWSE2100 |
| | 1 g - 200 g | CWSE2200 |
| | 1 g - 500 g | CWSE2500 |
| | 1g - 1 kg | CWSE2K1 |
| | 1 g - 2 kg | CWSE2K2 |
| | 1 g - 5 kg | CWSE2K5 |
| | 1 g - 10 kg | CWSE2K10 |



Calibration of Single Weights

ACCREDIA calibration service for masses and weights with the issue of a calibration certificate. Calibration makes it possible to assess the compliance of weights with the requirements for their use and to make more precise and reliable measurements.

Service available for weights in class M1, F2, F1, E2 and E1.

| ACCURACY CLASS | WEIGHT | CODE |
|----------------|---------------|----------|
| | 1 mg - 1 kg | CM1K1 |
| | 2 kg - 5 kg | CM1K5 |
| | 10 kg | CM1K10 |
| | 20 kg | CM1K20 |
| 884 | 50 kg | CM1K50 |
| M1 | 100 kg | CM1K100 |
| | 200 kg | CM1K200 |
| | 500 kg | CM1K500 |
| | 1.000 kg | CM1K1000 |
| | 2.000 kg | CM1K2000 |
| | 1 mg - 50 g | CF250 |
| | 100 g - 1 kg | CF2K1 |
| F2 | 2 kg - 10 kg | CF2K10 |
| | 20 kg | CF2K20 |
| | 50 kg | CF2K50 |
| | 1 mg - 50 g | CF150 |
| | 100 g - 1 kg | CF1K1 |
| F1 | 2 kg - 10 kg | CF1K10 |
| | 20 kg | CF1K20 |
| | 50 kg | CF1K50 |
| | 1 mg - 50 g | CE250 |
| E2 | 100 g - 1 kg | CE2K1 |
| | 2 kg - 10 kg | CE2K10 |
| | 1 mg - 500 mg | CE11 |
| | 1 g - 50 g | CE150 |
| F4 * | 1 g - 1 kg | CE1K1 |
| E1 * | 2 kg - 10 kg | CE1K10 |
| | 1 g - 1 kg | CE1K1D |
| | 2 kg - 10 kg | CE1K10D |

(*) Calibration of class E1 weights with a value of 1 g or more.

Volume determination is a necessary step for the first calibration of class E1 masses from 1 g up (except CE150). Masses with a nominal value greater than or equal to 1 g will be calibrated by another EA-accredited laboratory.

SINGLE WEIGHTS



Calibration of SINGLE RANGE Scales

ACCREDIA calibration service for single-range scales with capacities up to 20.000 kg.

Calibration makes it possible to assess the compliance of scales with the requirements for their use and to more reliable measurements. The service includes load offset tests, full scale repeatability tests and full scale repeatability and the linearity test on 5 or 10 loads. For convenience, the classification of scales used in legal metrology is followed, which divides scales into accuracy classes I, II, III and IIII.

This classification depends on the number of divisions of the scale being calibrated. The number of divisions (n) of the balance is obtained by calculating the ratio between the maximum capacity (Max) of the instrument and the value of its division (d) => n=Max/d

| LINEARITY | ACCURACY CLASS | CAPACITY | CODE |
|------------------|----------------|-------------|------|
| | I | < 5 kg | CB1 |
| | I | > 5 kg | CB2 |
| 5 | 11-111-1111 | < 5 kg | CB3 |
| measuring points | 11-111-1111 | < 30 kg | CB4 |
| | 11-111-1111 | < 300 kg | CB5 |
| | 11-111-1111 | < 20.000 kg | CB6 |
| | 1 | < 5 kg | CC1 |
| | 1 | > 5 kg | CC2 |
| 10 | 11-111-1111 | < 5 kg | CC3 |
| measuring points | 11-111-1111 | < 30 kg | CC4 |
| | 11-111-1111 | < 300 kg | CC5 |
| | 11-111-1111 | < 20.000 kg | CC6 |



- The above prices do not include transfer charges that are quoted upon estimate.
- For each calibration will be issued an ACCREDIA Certificate.
- Any inspection prior to the calibration is quoted.
- If the number of scales is higher than 4, a quantity discount will be given in agreement with the laboratory.
- Calibration does not entail repairing or setting up the instruments to be calibrated.
- Every possible repetition of the linearity test following an adjustment of the scale, involves the additional cost of Euro 50,00. In the event of a range adjustment, the calibration certificate will show the measurements taken before the adjustment ("As found") and after it ("As left").

CALIBRATION SERVICES

Æ



ACCREDIA calibration service for multi-range scales with capacities up to 20.000 kg.

Calibration makes it possible to assess the compliance of scales with the requirements for their use and to more reliable measurements. The service includes tests of load offset, full scale repeatability and full scale repeatability and the linearity test on 5 or 10 loads. For convenience, the classification of scales used in legal metrology is followed, which divides scales into accuracy classes I, II, III and IIII.

This classification depends on the number of divisions of the balance being calibrated. The number of divisions (n) of the balance is obtained by calculating the ratio between the maximum capacity (Max) of the instrument and the value of its division (d) => n=Max/d

| LINEARITY | ACCURACY CLASS | CAPACITY | CODE |
|------------------|----------------|-------------|------|
| | I | < 5 kg | CB12 |
| | 1 | > 5 kg | CB22 |
| | 11-111-1111 | < 5 kg | CB32 |
| | 11-111-1111 | < 30 kg | CB42 |
| | 11-111-1111 | < 300 kg | CB52 |
| 5 | 11-111-1111 | < 20.000 kg | CB62 |
| measuring points | 1 | < 5 kg | CB13 |
| . | 1 | > 5 kg | CB23 |
| | 11-111-1111 | < 5 kg | CB33 |
| | 11-111-1111 | < 30 kg | CB43 |
| | 11-111-1111 | < 300 kg | CB53 |
| | 11-111-1111 | < 20.000 kg | CB63 |
| | 1 | < 5 kg | CC12 |
| | 1 | > 5 kg | CC22 |
| | 11-111-1111 | < 5 kg | CC32 |
| | 11-111-1111 | < 30 kg | CC42 |
| | 11-111-1111 | < 300 kg | CC52 |
| 10 | 11-111-1111 | < 20.000 kg | CC62 |
| measuring points | 1 | < 5 kg | CC13 |
| . | 1 | > 5 kg | CC23 |
| | 11-111-1111 | < 5 kg | CC33 |
| | 11-111-1111 | < 30 kg | CC43 |
| | 11-111-1111 | < 300 kg | CC53 |
| | 11-111-1111 | < 20.000 kg | CC63 |



- The above prices do not include transfer charges that are quoted upon estimate.
- For each calibration will be issued an ACCREDIA Certificate.
- Any inspection prior to the calibration is quoted.
- If the number of scales is higher than 4, a quantity discount will be given in agreement with the laboratory.
- Calibration does not entail repairing or setting up the instruments to be calibrated.
- Every possible repetition of the linearity test following an adjustment of the scale, involves the additional cost of Euro 50,00. In the event of a range adjustment, the calibration certificate will show the measurements taken before the adjustment ("As found") and after it ("As left").



Calibration of Pipettes


ACCREDIA calibration service of pipettes (microdosing units) with fixed or variable volume, single- or multi-channel in accordance with ISO 8655-6:2022.

Measurements are made on 10 dispensings (fixed volume) or 10 dispensings on 3 points (variable volume). The service includes preventive pipette maintenance consisting of greasing and replacing with original spare parts for parts subject to wear.

| РІРЕТТЕ ТҮРЕ | DESCRIPTION | CODE |
|---|---|-------|
| Single-channel fixed or variable volume. | ACCREDIA pipette calibration with issue of certificate of calibration. * | CPP01 |
| Multi-channel (up to 12 channels) fixed or variable volume. | ACCREDIA pipette calibration with issue of certificate of calibration. * | CPP02 |
| Multi-channel (more than 12 channels) fixed or variable volume. | ACCREDIA pipette calibration with issue of certificate of calibration. * | СРРОЗ |
| All types of pipettes. | Accredia's express calibration service in two working days (see section "Terms of sale"). | EXP-M |




 $\begin{tabular}{ll} \textbf{(*) Service including preventive maintenance.} \end{tabular}$



Products

WEIGHT SET WITH ALUMINIUM CASE WEIGHT SET WITH WOODEN CASE SINGLE WEIGHTS



WEIGHT SETS

SINGLE WEIGHTS

MULTI-RANGE SCALES SINGLE RANGE SCALES

ξ

E2

П

WEIGHT SET WITH ALUMINIUM CASE

M1 STAINLESS STEEL WEIGHTS

Weight set with aluminium case, complete with stainless steel weights in M1 class according to OIML-R111 Recommendation and suitable for legal metrology applications and in the industrial sector.

The M1 accuracy class means these weights can be used for checking and calibrating scales and measuring instruments in class III, up to 10.000e. Ideal for ISO quality weighing instrument verification.













TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping | |
|---------|--------------------|--|-----------|
| | Accuracy class | M1 | |
| HTS | Compliance | OIML-R111 | |
| WEIGHTS | Material | Polished, austenitic stainless steel | |
| | Density | 7.950 kg/m³ | |
| | Tolerance | See tolerances table on page 10 | |
| CASE | Material Aluminium | | Aluminium |
| | Accessories | Glove, tongs and/or brush for optimal use and cleaning of the mass | |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SER | /ICE | DESCRIPTION | CODE | |
|-------------------------|-------------------------|--|--------------------|--|
| | Accredia calibration | Accredia calibration certificate. | See versions table | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| - | Laser marking | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | | | LASERT2 | Price per unit from 3 to 10 masses |
| | | | LASERT3 | Price per unit for more than 10 masses |
| | Compatibility control | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| _ | | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

Images are included for illustrative purposes. The information in this document is subject to change without notice. Go to **en.cibelab.it** for the latest prices.

SINGLE WEIGHTS SINGLE RANGE SCALES MULTI-RANGE SCALES

7

7

E2

四

| | | | | ADDITIONAL SERVICES | 5 ⊕ |
|------------------|-----------------------|--|-------------|----------------------|----------------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| NO. OF PIECES | TOT. WEIGHT (g) | CONTENTS - WEIGHTS AND ACCESSORIES | CODE | CODE | |
| 12 | 1,11 | mg 1 2 2 5 10 20 20 50 100 200 500 | WSAM1M05AL | CWSM1M05 | √ € |
| 20 | 111,11 | mg | WSAM1M50AL | CWSM1M50 | ✓ 🖁 🕰 |
| 21 | 211,11 | mg v m m v v m m v v m m | WSAM1M100AL | CWSM1M100 | √ 🖟 🕰 |
| 23 | 611,11 | mg v m m v v m m v v m m | WSAM1M200AL | CWSM1M200 | √ \$ G |
| 24 | 1.111,11 | mg v m m v m m v m m v m m | WSAM1M500AL | CWSM1M500 | √ \$ G |
| 25 | 2.111,11 | mg | WSAM1MK1AL | CWSM1MK1 | √ \$ <u>G</u> |
| 27 | 6.111,11 | mg | WSAM1MK2AL | CWSM1MK2 | √ \$ <u>G</u> |
| 8 | 110 | g 1 2 2 5 10 20 20 50 | WSAM150AL | CWSM150 | √ \$ Gas |
| 9 | 210 | g 1 2 2 5 10 20 20 50 100 | WSAM1100AL | CWSM1100 | √ \$ € |
| 11 | 610 | g 1 2 2 5 10 20 20 50 100 200 200 W | WSAM1200AL | CWSM1200 | √ \$ Cag |
| 12 | 1.100 | g 1 2 2 5 10 20 20 50 100 200 200 500 | WSAM1500AL | CWSM1500 | √ \$ <u>Ga</u> |
| 13 | 2.100 | g | WSAM1K1AL | CWSM1K1 | ✓ 🖫 🕰 |
| 15 | 6.110 | g | WSAM1K2AL | CWSM1K2 | √ 🖫 🕰 |

WEIGHT SETS

SINGLE WEIGHTS

ξ

E2

П

WEIGHT SET WITH WOODEN CASE

M1 STAINLESS STEEL WEIGHTS

Weight set with wooden case, complete with stainless steel weights, conforming to OIML-R111 Recommendation in M1 class, suitable for legal metrology and industrial applications.

The M1 accuracy class means these weights can be used for checking and calibrating scales and measuring instruments in class III, up to 10.000e. Ideal for ISO quality weighing instrument verification.













TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|--|
| | Accuracy class | M1 |
| HTS | Compliance | OIML-R111 |
| WEIGHTS | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m³ |
| | Tolerance | See tolerances table on page 10 |
| CASE | Material | Wood with velvet lining |
| | Accessories | Glove, tongs and/or brush for optimal use and cleaning of the mass |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SER | VICE | DESCRIPTION | CODE | |
|-------------------------|-------------------------|--|--------------------|--|
| | Accredia calibration | Accredia calibration certificate. | See versions table | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| - | Laser marking | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | | | LASERT2 | Price per unit from 3 to 10 masses |
| 키는 | | | LASERT3 | Price per unit for more than 10 masses |
| | | ity Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų, | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

SINGLE WEIGHTS SINGLE RANGE SCALES MULTI-RANGE SCALES

7

VERSIONS TABLE

| | | ADDITIONAL SERVICES (| | S ⊕ |
|------------------|-----------------------|---|----------------------|---|
| | | | ACCREDIA CALIBRATION | OTHER |
| NO. OF PIECES | TOT. WEIGHT (g) | CONTENTS - WEIGHTS AND ACCESSORIES CODE | CODE | |
| 12 | 1,11 | mg V II II O V II II O V II II | CWSM1M05 | ✓ GAB |
| 20 | 111,11 | mg | CWSM1M50 | √ 🖟 🕰 |
| 21 | 211,11 | mg 1 2 2 5 10 20 50 100 20 50 100 | CWSM1M100 | √ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| 23 | 611,11 | mg | CWSM1M200 | √ 🖁 🕰 |
| 24 | 1.111,11 | mg | CWSM1M500 | ✓ 🖁 🕰 |
| 25 | 2.111,11 | mg 1 2 2 5 10 20 50 100 200 500 g 1 2 2 5 10 20 20 50 100 200 200 500 kg 1 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 5 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 500 kg 1 3 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 2 2 5 2 5 10 20 20 50 100 200 200 500 kg 1 3 2 2 2 2 2 2 2 5 2 2 2 2 2 2 2 2 2 2 2 | CWSM1MK1 | ✓ \$ 6 2 |
| 27 | 6.111,11 | mg v n n v n n v n n v n n | CWSM1MK2 | √ \$ 6 2 |
| 28 | 11.111,11 | mg 1 2 2 5 10 20 20 50 100 200 500 g 1 2 2 5 5 10 20 20 50 100 200 200 500 kg 1 2 2 5 5 10 20 20 50 100 200 200 500 100 200 200 500 100 200 200 500 100 200 100 100 100 100 100 100 100 1 | CWSM1MK5 | ✓ 🖫 🕰 |
| 29 | 21.111,11 | mg | CWSM1M10 | ✓ 🖫 🕰 |
| 8 | 110 | g 1 2 2 5 10 20 50 WSAM150 | CWSM150 | |
| 9 | 210 | g 1 2 2 5 10 20 50 100 WSAM1100 | CWSM1100 | √ \$ 648 |
| 11 | 610 | g 1 2 2 5 10 20 50 100 200 200 WSAM1200 | CWSM1200 | ✓ 🖫 🕰 |
| 12 | 1.100 | g 1 2 2 5 10 20 50 100 200 500 WSAM1500 | CWSM1500 | √ 🖁 🕰 |
| 13 | 2.100 | g 1 2 2 5 10 20 50 100 200 500 WSAM1K1 | CWSM1K1 | √ \ |
| 15 | 6.110 | g 1 2 2 5 10 20 50 100 200 500 b0 wSAM1K2 | CWSM1K2 | ✓ 🖫 🕰 |
| 16 | 11.110 | g | CWSM1K5 | √ \$ C |
| 17 | 21.110 | g | CWSM1K10 | ✓ 🖁 🚂 |

四

WEIGHT SETS

SINGLE WEIGHTS

PIPETTES

Æ

Æ

E2

П

WEIGHT SET WITH ALUMINIUM CASE

F1 STAINLESS STEEL WEIGHTS

Weight set with aluminium case, complete with stainless steel weights, conforming to OIML-R111 Recommendation in class F1, suitable for legal metrology, industrial and research applications.

The F1 accuracy class means these weights can be used for checking and calibrating scales and instruments in class II, up to 100.000e. Ideal for ISO quality weighing instrument verification.













TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|--|
| | Accuracy class | F1 |
| HTS | Compliance | OIML-R111 |
| WEIGHTS | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m³ |
| | Tolerance | See tolerances table on page 10 |
| CASE | Material | Aluminium |
| | Accessories | Glove, tongs and/or brush for optimal use and cleaning of the mass |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SER | VICE | DESCRIPTION | CODE | |
|-------------------------|-------------------------|--|------------|--|
| | Accredia calibration | Accredia calibration certificate. | See versio | ons table |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| | Laser marking | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | | | LASERT2 | Price per unit from 3 to 10 masses |
| | | | LASERT3 | Price per unit for more than 10 masses |
| | Compatibility control | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| _ | | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| (AB | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

Images are included for illustrative purposes. The information in this document is subject to change without notice. Go to **en.cibelab.it** for the latest prices.

SINGLE WEIGHTS SINGLE RANGE SCALES MULTI-RANGE SCALES

7

VERSIONS TABLE

| | | | | ADDITIONAL SERVICES | ⊕ |
|------------------|-----------------------|---|-------------|----------------------|--------------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| NO. OF PIECES | TOT. WEIGHT (g) | CONTENTS - WEIGHTS AND ACCESSORIES | CODE | CODE | |
| 12 | 1,11 | mg | WSAF1M05AL | CWSF1M05 | |
| 20 | 111,11 | mg | WSAF1M50AL | CWSF1M50 | √ 🖟 🚰 |
| 21 | 211,11 | mg | WSAF1M100AL | CWSF1M100 | ✓ 🖟 🕰 |
| 23 | 611,11 | mg | WSAF1M200AL | CWSF1M200 | √ 🖫 🕰 |
| 24 | 1.111,11 | mg | WSAF1M500AL | CWSF1M500 | √ 🖁 🕰 |
| 25 | 2.111,11 | mg | WSAF1MK1AL | CWSF1MK1 | ✓ ¥ 🕰 |
| 27 | 6.111,11 | mg | WSAF1MK2AL | CWSF1MK2 | √ ₹ 4 |
| 8 | 110 | g 1 2 2 5 10 20 20 50 | WSAF150AL | CWSF150 | √ 🖫 🖳 |
| 9 | 210 | g 1 2 2 5 10 20 20 50 100 | WSAF1100AL | CWSF1100 | √ 🖁 🕰 |
| 11 | 610 | g 1 2 2 5 10 20 20 50 100 200 200 | WSAF1200AL | CWSF1200 | √ 🖁 🚰 |
| 12 | 1.100 | g 1 2 2 5 10 20 20 50 100 200 500 | WSAF1500AL | CWSF1500 | √ 🖁 🕰 |
| 13 | 2.100 | g 1 2 2 5 10 20 20 50 100 200 500 kg 1 | WSAF1K1AL | CWSF1K1 | ✓ 🖁 🕰 |
| 15 | 6.110 | g 1 2 2 5 10 20 50 100 200 500 kg 1 2 2 | WSAF1K2AL | CWSF1K2 | √ 🖫 🕰 |

WEIGHT SETS

SINGLE WEIGHTS

MULTI-RANGE SCALES SINGLE RANGE SCALES

Æ

E2

П

WEIGHT SET WITH WOODEN CASE

F1 STAINLESS STEEL WEIGHTS

Weight set with wooden case, complete with stainless steel weights, conforming to OIML-R111 Recommendation in class F1, suitable for legal metrology, industrial and research applications.

The F1 accuracy class means these weights can be used for checking and calibrating scales and instruments in class II, up to 100.000e. Ideal for ISO quality weighing instrument verification.















TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping | |
|---------|----------------|--|--|
| | Accuracy class | F1 | |
| HTS | Compliance | OIML-R111 | |
| WEIGHTS | Material | Polished, austenitic stainless steel | |
| | Density | 7.950 kg/m ³ | |
| | Tolerance | See tolerances table on page 10 | |
| CASE | Material | Wood with velvet lining | |
| | Accessories | Glove, tongs and/or brush for optimal use and cleaning of the mass | |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SER | VICE | DESCRIPTION | CODE | |
|-------------------------|-------------------------|--|--------------------|--|
| | Accredia calibration | Accredia calibration certificate. | See versions table | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| - | Laser marking | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | | | LASERT2 | Price per unit from 3 to 10 masses |
| 키는 | | | LASERT3 | Price per unit for more than 10 masses |
| | Compatibility control | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų, | | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

 $(*) \ \textit{In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.}$

Images are included for illustrative purposes. The information in this document is subject to change without notice. Go to **en.cibelab.it** for the latest prices.

SINGLE WEIGHTS SINGLE RANGE SCALES MULTI-RANGE SCALES

7

7

| | Ξ. |
|------|----|
| CIBE | ī |

| | | | ADDITIONAL SERVICE | ADDITIONAL SERVICES ⊕ | |
|------------------|-----------------------|--|----------------------|------------------------|--|
| | | | ACCREDIA CALIBRATION | OTHER | |
| IO. OF PIECES | TOT. WEIGHT (g) | CONTENTS - WEIGHTS AND ACCESSORIES CODE | CODE | | |
| 12 | 1,11 | mg | M05 CWSF1M05 | √ €48 | |
| 20 | 111,11 | mg | M50 CWSF1M50 | ✓ 🖁 🙆 | |
| 21 | 211,11 | mg | M100 CWSF1M100 | √ 🖫 🕰 | |
| 23 | 611,11 | mg | M200 CWSF1M200 | ✓ 🖫 🚰 | |
| 24 | 1.111,11 | mg | M500 CWSF1M500 | √ 🖫 🕰 | |
| 25 | 2.111,11 | mg 1 2 2 5 10 20 50 100 200 500 100 200 500 kg 1 1 2 2 5 10 20 20 50 100 200 500 100 20 | MK1 CWSF1MK1 | √ \ | |
| 27 | 6.111,11 | mg | MK2 CWSF1MK2 | √ \ | |
| 28 | 11.111,11 | mg | MK5 CWSF1MK5 | √ \ | |
| 29 | 21.111,11 | mg | MK10 CWSF1MK10 | √ \$ 6 2 | |
| 8 | 110 | g 1 2 2 5 10 20 50 WSAF1. | 50 CWSF150 | √ \$ G | |
| 9 | 210 | g 1 2 2 5 10 20 50 100 WSAF1 | 100 CWSF1100 | | |
| 11 | 610 | g 1 2 2 5 10 20 20 50 100 200 200 WSAF1. | 200 CWSF1200 | √ \$ Gas | |
| 12 | 1.100 | g 1 2 2 5 10 20 20 50 100 200 500 WSAF1. | 500 CWSF1500 | √ \ | |
| 13 | 2.100 | g 1 2 2 5 10 20 20 50 100 200 500 WSAF1 | K1 CWSF1K1 | √ ₹ G | |
| 15 | 6.110 | g | K2 CWSF1K2 | √ 🖟 🕰 | |
| 16 | 11.110 | g 1 2 2 5 10 20 50 100 200 500 500 WSAF1 | K5 CWSF1K5 | √ \$ G | |
| 17 | 21.110 | g | K10 CWSF1K10 | √ \$ 645 | |

WEIGHT SETS

SINGLE WEIGHTS

MULTI-RANGE SCALES SINGLE RANGE SCALES

Æ

E2

П

WEIGHT SET WITH ALUMINIUM CASE

E2 STAINLESS STEEL WEIGHTS

Weight set with aluminium case, complete with stainless steel weights, conforming to OIML-R111 Recommendation in class E2, suitable for legal metrology, industrial and research applications.

The E2 accuracy class means these weights can be used for checking and calibrating scales and instruments in class I, up to 300.000e. Ideal for ISO quality weighing instrument verification.













TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping | |
|---------|----------------|--|--|
| | Accuracy class | E2 | |
| HTS | Compliance | OIML-R111 | |
| WEIGHTS | Material | Polished, austenitic stainless steel | |
| | Density | 7.950 kg/m³ | |
| | Tolerance | See tolerances table on page 10 | |
| CASE | Material | Aluminium | |
| | Accessories | Glove, tongs and/or brush for optimal use and cleaning of the mass | |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES ⊕

| SER | /ICE | DESCRIPTION | CODE | |
|-------------------------|-------------------------|--|--------------------|--|
| | Accredia calibration | Accredia calibration certificate. | See versions table | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| - | Laser marking | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | | | LASERT2 | Price per unit from 3 to 10 masses |
| - 기는 | | | LASERT3 | Price per unit for more than 10 masses |
| | Compatibility | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

Images are included for illustrative purposes. The information in this document is subject to change without notice. Go to **en.cibelab.it** for the latest prices.

7

7

E2

四

VERSIONS TABLE

| | | | ADDITIONAL SERVICES ⊕ | | |
|------------------|-----------------------|---|-----------------------|----------------------|----------------------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| NO. OF PIECES | TOT. WEIGHT (g) | CONTENTS - WEIGHTS AND ACCESSORIES | CODE | CODE | |
| 12 | 1,11 | mg | WSE2M05AL | CWSE2M05 | ✓ GAB |
| 20 | 111,11 | mg 1 2 2 5 10 20 20 50 100 200 500 g 1 2 2 5 10 20 20 50 | WSE2M50AL | CWSE2M50 | √ ₹ <u>@</u> |
| 21 | 211,11 | mg 1 2 2 5 10 20 20 50 100 200 500 g 1 2 2 5 10 20 20 50 100 200 500 | WSE2M100AL | CWSE2M100 | ✓ 🖫 🕰 |
| 23 | 611,11 | mg | WSE2M200AL | CWSE2M200 | √ \$ € |
| 24 | 1.111,11 | mg 1 2 2 5 10 20 20 50 100 200 200 500 1 2 2 2 5 10 20 20 50 100 200 200 500 | WSE2M500AL | CWSE2M500 | √ \$ € |
| 25 | 2.111,11 | mg 1 2 2 5 10 20 20 50 100 200 500 g 1 2 2 5 10 20 20 50 100 200 200 500 kg 1 | WSE2MK1AL | CWSE2MK1 | √ \$ € |
| 27 | 6.111,11 | mg 1 2 2 5 10 20 20 50 100 200 500 g 1 2 2 5 10 20 20 50 100 200 200 500 kg 1 2 2 2 5 10 20 20 50 100 200 200 500 100 200 200 200 500 100 200 200 200 500 100 200 200 200 500 100 200 200 200 500 100 200 200 200 500 100 200 200 200 500 100 200 200 200 200 500 100 200 200 200 200 200 200 200 200 2 | WSE2MK2AL | CWSE2MK2 | √ 🖫 🕰 |
| 8 | 110 | g 1 2 2 5 10 20 20 50 | WSE250AL | CWSE250 | ✓ 🖫 🕰 |
| 9 | 210 | g 1 2 2 5 10 20 20 50 100 | WSE2100AL | CWSE2100 | ✓ 🖫 🕰 |
| 11 | 610 | g 1 2 2 5 10 20 20 50 100 200 200 W | WSE2200AL | CWSE2200 | √ \$ € |
| 12 | 1.100 | g 1 2 2 5 10 20 20 50 100 200 200 500 | WSE2500AL | CWSE2500 | √ 🖁 🕰 |
| 13 | 2.100 | g 1 2 2 5 10 20 20 50 100 200 200 500 kg 1 | WSE2K1AL | CWSE2K1 | ✓ 🖫 🕰 |
| 15 | 6.110 | g 1 2 2 5 10 20 20 50 100 200 500 kg 1 2 2 | WSE2K2AL | CWSE2K2 | √ \$ 6 |

WEIGHT SETS

SINGLE WEIGHTS

Æ

Æ

E2

WEIGHT SET WITH WOODEN CASE

E2 STAINLESS STEEL WEIGHTS

Weight set with wooden case, complete with stainless steel weights, conforming to OIML-R111 Recommendation in class E2, suitable for legal metrology, industrial and research applications.

The E2 accuracy class means these weights can be used for checking and calibrating scales and instruments in class I, up to 300.000e. Ideal for ISO quality weighing instrument verification.















TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|--|
| | Accuracy class | E2 |
| HTS | Compliance | OIML-R111 |
| WEIGHTS | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m ³ |
| | Tolerance | See tolerances table on page 10 |
| CASE | Material | Wood with velvet lining |
| | Accessories | Glove, tongs and/or brush for optimal use and cleaning of the mass |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SER | /ICE | DESCRIPTION | CODE | |
|-------------------------|-------------------------|--|--------------------|--|
| | Accredia calibration | Accredia calibration certificate. | See versions table | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| _ | Laser marking | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | | | LASERT2 | Price per unit from 3 to 10 masses |
| - 기존 | | | LASERT3 | Price per unit for more than 10 masses |
| | | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| _ | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

Images are included for illustrative purposes. The information in this document is subject to change without notice. Go to **en.cibelab.it** for the latest prices.

П

≥

7

E2

7

E2

四

| | | | | ADDITIONAL SERVICES ⊕ |
|------------------|-----------------------|--|-------------|----------------------------|
| | | | A | CCREDIA CALIBRATION OTHER |
| NO. OF PIECES | TOT. WEIGHT (g) | CONTENTS - WEIGHTS AND ACCESSORIES COD | COD | E |
| 12 | 1,11 | mg | 2M05 CWSI | E2M05 🗸 🗸 |
| 20 | 111,11 | mg | 22M50 CWSI | - 2M50 |
| 21 | 211,11 | mg | CWSI | E2M100 ✓ 🖫 🖸 |
| 23 | 611,11 | mg | 2M200 CWSI | E2M200 ✓ 🖫 💪 |
| 24 | 1.111,11 | mg 1 2 2 5 10 20 20 50 100 200 200 500 10 2 2 2 5 10 20 20 50 100 200 200 500 10 2 2 2 5 10 20 20 50 100 200 200 500 10 2 2 2 2 5 10 2 2 2 2 5 10 2 2 2 5 10 2 2 5 10 2 2 5 10 2 5 5 10 | 22M500 CWSI | ≥ 2M500 |
| 25 | 2.111,11 | mg | CWSI | Е2МК1 √ 🖫 С |
| 27 | 6.111,11 | mg | E2MK2 CWSI | - Е2МК2 |
| 28 | 11.111,11 | mg | CWSI | - 2мк5 √ ⊈ С |
| 29 | 21.111,11 | mg v m m v m m v m m v m m | E2MK10 CWSI | Е2МК10 ✓ 🖫 💪 |
| 8 | 110 | g 1 2 2 5 10 20 20 50 WSE | 2250 CWSI | 250 ✓ 🖟 G |
| 9 | 210 | g 1 2 2 5 10 20 20 50 100 WSE | 22100 CWSI | E2100 |
| 11 | 610 | g 1 2 2 5 10 20 20 50 100 200 200 WSE | 22200 CWSI | = 2200 |
| 12 | 1.100 | g 1 2 2 5 10 20 20 50 100 200 200 500 WSE | 2500 CWSI | E2500 ✓ 🖟 🔏 |
| 13 | 2.100 | g 1 2 2 5 10 20 20 50 100 200 500 WSE | CWSI | g & |
| 15 | 6.110 | g 1 2 2 5 10 20 20 50 100 200 500 kg 1 2 2 | CWSI | - ₹ 6 |
| 16 | 11.110 | g 1 2 2 5 10 20 20 50 100 200 500 ws 1 2 2 5 10 2 2 5 10 2 10 2 10 10 10 10 10 10 10 10 10 10 10 10 10 | CWSI | - 2K5 |
| 17 | 21.110 | g | 22K10 CWSI | E2K10 ✓ 🖫 💪 |

SINGLE WEIGHTS

MULTI-RANGE SCALES SINGLE RANGE SCALES

Æ

Æ

П

SINGLE WEIGHTS

M1 STAINLESS STEEL

Stainless steel weights, conforming to OIML-R111 Recommendation in M1 class, suitable for legal metrology and industrial applications.

The M1 accuracy class means these weights can be used for checking and calibrating scales and instruments in class III, up to 10.000e. Ideal for ISO quality weighing instrument verification.









STAINLESS STEEL

TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|---|
| | Accuracy class | M1 |
| TS | Compliance | OIML-R111 |
| WEIGHTS | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m³ |
| | Tolerance | See tolerances table on page 10 |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SERVICE | | DESCRIPTION | CODE | |
|------------------------|--------------------|--|------------|--|
| 🙉 Accredia | | Accredia calibration certificate. | See versio | ons table |
| H | calibration | Surcharge for issuing individual certificates. | CTDIV | |
| ✓ Initial verification | | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| = | | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| abla | Laser marking | | LASERT2 | Price per unit from 3 to 10 masses |
| 利气 | | | LASERT3 | Price per unit for more than 10 masses |
| | | | | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | Compatibility control service of weights and masses. | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų, | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| Gae | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

Images are included for illustrative purposes. The information in this document is subject to change without notice. Go to **en.cibelab.it** for the latest prices.

^(*) Net price per certificate.
(**) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.

Ξ

E2

四

| | | | | ADDITIONAL SERVICES ⊕ | |
|--------|-------|-----------------------|----------|-----------------------|--------------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| WEIGHT | SHAPE | DIMENSIONS Ø x h (mm) | CODE | CODE | |
| mg | ▼ | | WAM1M1 | CM1K1 | √ \ |
| mg | • | | WAM1M2 | CM1K1 | √ ₹ G |
| i mg | • | | WAM1M5 | CM1K1 | √ \ G |
| 0 mg | ▼ | | WAM1M10 | CM1K1 | √ ₹ G |
| 0 mg | | | WAM1M20 | CM1K1 | √ ₹ G |
| 0 mg | • | | WAM1M50 | CM1K1 | √ ₹ G |
| 00 mg | ▼ | | WAM1M100 | CM1K1 | √ ₹ G |
| 00 mg | | | WAM1M200 | CM1K1 | √ ₹ <u>G</u> |
| 600 mg | • | | WAM1M500 | CM1K1 | √ ₹ G |
| g | i | 6 x 6 | WAM11 | CM1K1 | √ ₹ G |
| g g | i | 6 x 10 | WAM12 | CM1K1 | √ ₹ G |
| g | i | 8 x 15 | WAM15 | CM1K1 | √ \ |
| 0 g | i | 10 x 19 | WAM110 | CM1K1 | √ \ |
| .0 g | i | 13 x 21 | WAM120 | CM1K1 | √ \ |
| 0 g | i | 18 x 29 | WAM150 | CM1K1 | √ ₹ G |
| 00 g | i | 22 x 38 | WAM1100 | CM1K1 | √ § G |
| 200 g | ě | 28 x 50 | WAM1200 | CM1K1 | √ § G |
| 600 g | ě | 38 x 66 | WAM1500 | CM1K1 | √ § G |
| kg | ě | 48 x 82 | WAM1K1 | CM1K1 | √ ₹ G |
| ! kg | ě | 60 x 105 | WAM1K2 | CM1K5 | √ ₹ G |
| i kg | i | 80 x 144 | WAM1K5 | CM1K5 | √ ₹ G |
| 0 kg | i | 100 x 184 | WAM1K10 | CM1K10 | √ ₹ G |
| 0 kg | i | 128 x 224 | WAM1K20 | CM1K20 | √ \ |

Ā

Æ

E2

П

ACCESSORIES: CASES FOR SINGLE WEIGHT (WEIGHT EXCLUDED)

| O | MATERIAL | WEIGHT | CODE |
|------|-----------------------|--------------|---------|
| | Plastic round | 1 100 - | DM/5400 |
| | | 1 mg - 100 g | BM45100 |
| | Plastic round | 200 g | BM45200 |
| | Plastic round | 500 g | BM45500 |
| | Plastic round | 1 kg | BM65K1 |
| | Plastic round | 2 kg | BM65K2 |
| | Plastic round | 5 kg | BM65K5 |
| | Plastic round | 10 kg | BM65K10 |
| DI T | Aluminium | 5 kg | BAK5 |
| | Aluminium | 10 kg | BAK10 |
| 29 | Aluminium | 20 kg | BAK20 |
| | Wood, velvet interior | 1 mg - 500 m | BW05 |
| | Wood, velvet interior | 1 g | B9501LE |
| | Wood, velvet interior | 2 g | B9502LE |
| | Wood, velvet interior | 5 g | B9503LE |
| St. | Wood, velvet interior | 10 g | B9504LE |
| | Wood, velvet interior | 20 g | B9505LE |
| | Wood, velvet interior | 50 g | B9506LE |
| | Wood, velvet interior | 100 g | B9507LE |
| 0.50 | Wood, velvet interior | 200 g | B9508LE |
| | Wood, velvet interior | 500 g | B9509LE |
| | Wood, velvet interior | 1 kg | B9510LE |
| | Wood, velvet interior | 2 kg | B9511LE |
| | Wood, velvet interior | 5 kg | B9512LE |
| | Wood, velvet interior | 10 kg | B9513LE |
| | Wood, velvet interior | 20 kg | B9514LE |

OTHER ACCESSORIES

| O | DESCRIPTION | CODE |
|----|--|-------------------------|
| 33 | Cotton glove | GNT |
| | Brush length 100 mm ∅ 10 mm | PNL10X100 |
| | Weight tongs length 105 mm Weight tongs length 130 mm Weight tongs length 230 mm | PNZ105 PNZ130 PNZ230 |
| E | Handle for 5 kg cylindrical mass Handle for 10 kg cylindrical mass Handle for 20 kg cylindrical mass | FRK5 kg HND10KG HND20KG |

SINGLE WEIGHTS SINGLE RANGE SCALES MULTI-RANGE SCALES

<u>≥</u>

卫

E2

四

ACCESSORIES: CASES FOR WEIGHT SETS (WEIGHTS EXCLUDED)

| Ō | ТҮРЕ | MATERIAL | WEIGHTS | CODE |
|-----------------|------|-----------------------|--|----------|
| Beer it. | Case | Plastic | Max. 12 compartments for fractions from 1 mg to 5 g + Max 4 compartments for fractions from 1 g to 5 g + 1 tong compartment | B2721 |
| | Case | Aluminium | 1 mg - 500 mg | BWSAM05 |
| | Case | Aluminium | 1 mg - 200 g | BWSA200 |
| | Case | Aluminium | 1 mg - 1 kg | BWSAK1 |
| | Case | Aluminium | 1 mg - 2 kg | BWSAK2 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg | BWSAK5 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg, 10 kg | BWSAK10 |
| | Case | Wood, velvet interior | 1 mg - 1 kg | BWSLEK1 |
| | Case | Wood, velvet interior | 1 mg - 2 kg | BWSLEK2 |
| J. | Case | Wood, velvet interior | 1 mg - 5 kg | BWSLEK5 |
| | Case | Wood, velvet interior | 1 mg - 10 kg | BWSLEK10 |
| (a) Contraction | Case | Wood, velvet interior | Max. 24 compartments for fractions from 1 mg to 100 g + 1 tong compartment | BWSLV100 |
| | Case | Plastic | Max. 9 compartments for fractions from 100 g to 5 kg | B100K5 |
| | Case | Plastic | Max. 26 compartments for fractions from 1 mg to 2 kg + 1 tong compartment | вмк2 |
| | Case | High-quality plastic | Max. 12 compartments for fractions 1 g to 500 g + 1 accessory compartment | BM500 |
| | Case | High-quality plastic | Max. 28 compartments for fractions 1 mg to 500 g + 1 accessory compartment | BM500M |
| | Case | High-quality plastic | Max. 16 compartments for fractions 1 g to 5 kg + 1 accessory compartment | ВМК5 |
| | Case | High-quality plastic | Max. 32 compartments for fractions 1 mg to 5 kg + 1 accessory compartment | ВМК5М |

PIPETTES

Æ

Æ

E2

SINGLE WEIGHTS

M1 CAST-IRON

Cast-iron weights, conforming to OIML-R111 Recommendation in M1 class, suitable for legal metrology and industrial applications.

The M1 accuracy class means these weights can be used for checking and calibrating scales and instruments in class III, up to 10.000e. Ideal for ISO quality weighing instrument verification.











TECHNICAL FEATURES

| | Accuracy class | M1 |
|--------|----------------|-------------------------------------|
| MASSES | <u> </u> | |
| | Compliance | OIML-R111 |
| | Material | Cast-iron, painted or nickel-plated |
| | Density | 7.100 kg/m³ |
| | Tolerance | See tolerances table on page 10 |

ADDITIONAL SERVICES

| SER | VICE | DESCRIPTION | CODE | |
|-------------------------|----------------------------|--|------------|--|
| (A) | Accredia | Accredia calibration certificate. | See versio | ns table |
| H | calibration | Surcharge for issuing individual certificates. | CTDIV | |
| ✓ | Initial verification ** | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| - | | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\mathbb{R}}$ | Laser marking | | LASERT2 | Price per unit from 3 to 10 masses |
| ->IE- | | | LASERT3 | Price per unit for more than 10 masses |
| | | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

^(*) Net price per certificate. (**) Not provided for the WBX20500 weight holder mass.

^(***) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.

<u>≥</u>

₹

卫

四

VERSIONS TABLE

| | | | ADDITIONAL SERVICE | 5 ⊕ | |
|--------|---------------------------|---------------------------------|--------------------|----------------------|----------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| WEIGHT | DIMENSIONS (w x d x h) mm | MATERIAL | CODE | CODE | |
| | 1 | 1 | | | |
| 5 kg | 150 x 78 x 87 | Cast-iron, painted | WM1VK5 | CM1K5 | √ 🖁 🕰 |
| | | | | | 186 |
| 10 kg | 195 x 97 x 110 | Cast-iron, painted | WM1VK10 | CM1K10 | √ \ @ |
| 20 kg | 235 x 120 x 143 | Cast-iron, painted | WM1VK20 | CM1K20 | √ 🖁 🕝 |
| 50 los | 210 100 105 | Continue material | WMANIKEO | CMAKEO | √ \$ Ga |
| 50 kg | 310 x 160 x 195 | Cast-iron, painted | WM1VK50 | CM1K50 | |
| 5 kg | 150 x 78 x 87 | Cast iron, nickel-plated | WM1NK5 | CM1K5 | √ 🖁 🙆 |
| 10 kg | 195 x 97 x 110 | Cast iron, nickel-plated | WM1NK10 | CM1K10 | √ |
| | 1 | <u> </u> | | | |
| 20 kg | 235 x 120 x 143 | Cast iron, nickel-plated | WM1NK20 | CM1K20 | √ 🖁 겵 |

WEIGHT HOLDER MASS

| | | | ADDITIONAL SERVICES | . ⊕ | |
|--------|---------------------------|-----------------|---------------------|----------------------|-------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| WEIGHT | DIMENSIONS (w x d x h) mm | MATERIAL | CODE | CODE | |
| 20 kg | 832 x 518 x 387 | Stainless steel | WBX20500 | CM1K20 | (AB |

ACCESSORIES: CASES (WEIGHT EXCLUDED)

| o | MATERIAL | WEIGHT | CODE |
|--|-----------|--------|--------|
| | Aluminium | 5 kg | BACK5 |
| 1 | Aluminium | 10 kg | BACK10 |
| | Aluminium | 20 kg | BACK20 |
| | | | |
| | Wood | 5 kg | BWC5 |
| Control of the contro | Wood | 10 kg | BWC10 |
| O | Wood | 20 kg | BWC20 |
| | | | |

PIPETTES

Æ

ξ

E2

SINGLE WEIGHTS

M1 HEAVY MASSES

Heavy mass weights, conforming to OIML-R111 Recommendation in class M1, suitable for legal metrology and industrial applications, particularly for the calibration of weighbridges and high-capacity systems. Easy to transport by trolley or crane, suitable for stacking. They are equipped with a watertight, high-density lateral calibration bush for greater accuracy stability over time.

The M1 accuracy class means these weights can be used for checking and calibrating scales and weighting systems in class III, up to 10.000e. Ideal for ISO quality weighing instrument verification.











TECHNICAL FEATURES

| SSES | Accuracy class | M1 |
|------|----------------|---|
| | Compliance | OIML-R111 |
| | Material | Steel painted with ferrous filler material (WM1PK2000E) |
| MAS | | Painted cast-iron (WM1VK100E-WM1VK200E-WM1VK500E-WM1VT1E) |
| | | 7.100 kg/m³ (cast-iron masses up to 1.000 kg) |
| | Density | 5.000 kg/m³ (2.000 kg painted steel mass) |

ADDITIONAL SERVICES

| SE | RVICE | DESCRIPTION | CODE | • |
|----------|-------------------------|--|------------|---|
| | Accredia | Accredia calibration certificate. | See versio | ons table |
| M | calibration | Surcharge for issuing individual certificates. | CTDIV | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| | | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |

^(*) Net price per certificate.

(**) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.

| | | | ADDITIONAL SERVICE | ES ⊕ |
|-------------------|----------|------------|----------------------|----------|
| | | | ACCREDIA CALIBRATION | OTHER |
| MATERIAL | MASS | CODE | CODE | |
| Painted cast-iron | 100 kg | WM1VK100E | CM1K100 | ✓ |
| Painted cast-iron | 200 kg | WM1VK200E | CM1K200 | ✓ |
| Painted cast-iron | 500 kg | WM1VK500E | CM1K500 | ✓ |
| Painted cast-iron | 1.000 kg | WM1VT1E | CM1K1000 | ✓ |
| Painted steel | 2.000 kg | WM1PK2000E | CM1K2000 | ✓ |

<u>≥</u>

卫

E2

四

SINGLE DISC WEIGHTS

AND M1 WEIGHT HOLDING BARS

Disc weights suitable for legal metrology applications and the industrial sector and fully customisable. They have a groove and relief to allow them to interlock and keep them concentric; the slot allows them to be positioned on the bar.

Their tolerances are provided for OIML M1 class masses and therefore allow these weights to be used for the control and calibration of scales and class III instruments up to 10.000e. Ideal for ISO quality weighing instrument verification.











TECHNICAL FEATURES

| MASSES | Accuracy class | M1 |
|--------|----------------|-----------------|
| | Compliance | OIML-R111 |
| | Material | Phosphated iron |
| | Density | 7.700 kg/m³ |

ADDITIONAL SERVICES

| SER | VICE | DESCRIPTION | CODE | |
|-----|-----------------------|---|--------------------|--|
| | Accredia | Accredia calibration certificate. | See versions table | |
| | calibration | Surcharge for issuing individual certificates. | CTDIV | |
| | Compatibility control | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| ٧, | | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

^(*) Net price per certificate.

| | | | ADDITIONAL SERVICES ⊕ | |
|-------|----------|----------|-----------------------|-------------|
| | | | ACCREDIA CALIBRATION | OTHER |
| MASS | CODE | BAR CODE | CODE | |
| 5 kg | WM1ADK5A | WM1AK5 | CM1K5 | <u>a</u> |
| 10 kg | WM1DK10A | WM1AK10 | CM1K10 | (ag |
| 5 kg | WM1DK5B | WM1AK5 | CM1K5 | <u> </u> |
| 10 kg | WM1DK10B | WM1AK10 | CM1K10 | C an |
| 20 kg | WM1DK20B | WM1AK10 | CM1K20 | 48 |

^(**) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.

SINGLE WEIGHTS

Æ

Æ

E2

П

SINGLE WEIGHTS

F1 STAINLESS STEEL

Stainless steel weights, conforming to OIML-R111 Recommendation in class F1, suitable for legal metrology, industrial and research applications.

The F1 accuracy class means these weights can be used for checking and calibrating scales and instruments in class III, up to 100.000e. Ideal for ISO quality weighing instrument verification.











TECHNICAL FEATURES

| WEIGHTS | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|---|
| | Accuracy class | F1 |
| | Compliance | OIML-R111 |
| | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m³ |
| | Tolerance | See tolerances table on page 10 |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SERVICE | | DESCRIPTION | CODE | |
|----------------------|-------------------------|--|--------------------|--|
| 🔝 Accredia | | Accredia calibration certificate. | See versions table | |
| Ĭ | calibration | Surcharge for issuing individual certificates. | CTDIV | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| = | | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| $\overline{\forall}$ | Laser marking | | LASERT2 | Price per unit from 3 to 10 masses |
| ₹. | | | LASERT3 | Price per unit for more than 10 masses |
| | | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| _ | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| 48 | Express Service | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

^(*) Net price per certificate.
(**) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.

3

7

E2

四

| | | | | ADDITIONAL SERVICES ⊕ | |
|--------|-------|-----------------------|----------|-----------------------|--------|
| | | | | ACCREDIA CALIBRATION | OTHER |
| VALUE | SHAPE | DIMENSIONS Ø x h (mm) | CODE | CODE | |
| 1 mg | • | | WAF1M1 | CF150 | √ \ |
| 2 mg | • | | WAF1M2 | CF150 | √ \ |
| 5 mg | • | | WAF1M5 | CF150 | √ \ G |
| 0 mg | ▼ | | WAF1M10 | CF150 | √ \ |
| 20 mg | • | | WAF1M20 | CF150 | ✓ 🖁 🕰 |
| 50 mg | • | | WAF1M50 | CF150 | ✓ 🖁 🕰 |
| 100 mg | ▼ | | WAF1M100 | CF150 | ✓ 🖁 🕰 |
| 200 mg | - | | WAF1M200 | CF150 | ✓ 🖁 G |
| 500 mg | • | | WAF1M500 | CF150 | √ \$ G |
| 1 g | i | 6 x 6 | WAF11 | CF150 | √ \ |
| 2 g | i | 6 x 10 | WAF12 | CF150 | √ ₹ G |
| 5 g | i | 8 x 15 | WAF15 | CF150 | √ \ |
| 10 g | i | 10 x 19 | WAF110 | CF150 | √ \ a |
| 20 g | i | 13 x 21 | WAF120 | CF150 | √ \ a |
| 50 g | i | 18 x 29 | WAF150 | CF150 | √ \ a |
| 100 g | i | 22 x 38 | WAF1100 | CF1K1 | √ \ a |
| 200 g | i | 28 x 50 | WAF1200 | CF1K1 | √ \ |
| 500 g | i | 38 x 66 | WAF1500 | CF1K1 | √ \ a |
| 1 kg | i | 48 x 82 | WAF1K1 | CF1K1 | √ \ |
| 2 kg | i | 60 x 105 | WAF1K2 | CF1K10 | √ \ a |
| 5 kg | i | 80 x 144 | WAF1K5 | CF1K10 | √ \ a |
| 10 kg | i | 100 x 184 | WAF1K10 | CF1K10 | √ 🖁 G |
| 20 kg | i | 128 x 224 | WAF1K20 | CF1K20 | √ \$ G |

MULTI-RANGE SCALES SINGLE RANGE SCALES SINGLE WEIGHTS

Ā

Ā

E2

П

ACCESSORIES: CASES FOR SINGLE WEIGHT (WEIGHT EXCLUDED)

| O | MATERIAL | WEIGHT | CODE |
|------|-----------------------|--------------|---------|
| | Plastic round | 1 100 - | DM/5400 |
| | | 1 mg - 100 g | BM45100 |
| | Plastic round | 200 g | BM45200 |
| | Plastic round | 500 g | BM45500 |
| | Plastic round | 1 kg | BM65K1 |
| | Plastic round | 2 kg | BM65K2 |
| | Plastic round | 5 kg | BM65K5 |
| | Plastic round | 10 kg | BM65K10 |
| DI T | Aluminium | 5 kg | BAK5 |
| | Aluminium | 10 kg | BAK10 |
| 29 | Aluminium | 20 kg | BAK20 |
| | Wood, velvet interior | 1 mg - 500 m | BW05 |
| | Wood, velvet interior | 1 g | B9501LE |
| | Wood, velvet interior | 2 g | B9502LE |
| | Wood, velvet interior | 5 g | B9503LE |
| St. | Wood, velvet interior | 10 g | B9504LE |
| | Wood, velvet interior | 20 g | B9505LE |
| | Wood, velvet interior | 50 g | B9506LE |
| | Wood, velvet interior | 100 g | B9507LE |
| 0.50 | Wood, velvet interior | 200 g | B9508LE |
| | Wood, velvet interior | 500 g | B9509LE |
| | Wood, velvet interior | 1 kg | B9510LE |
| | Wood, velvet interior | 2 kg | B9511LE |
| | Wood, velvet interior | 5 kg | B9512LE |
| | Wood, velvet interior | 10 kg | B9513LE |
| | Wood, velvet interior | 20 kg | B9514LE |

OTHER ACCESSORIES

| O | DESCRIPTION | CODE |
|----|--|--------------------|
| 33 | Cotton glove | GNT |
| | Brush length 100 mm Ø 10 mm | PNL10X100 |
| | Weight tongs length 105 mm | PNZ105 |
| | Weight tongs length 130 mm | PNZ130 |
| | Weight tongs length 230 mm | PNZ230 |
| | Handle for E kg cylindrical mass | EDVE ka |
| | Handle for 5 kg cylindrical mass Handle for 10 kg cylindrical mass | FRK5 kg HND10KG |
| | Handle for 20 kg cylindrical mass | HND20KG |

<u>≥</u>

7

E2

四

ACCESSORIES: CASES FOR WEIGHT SETS (WEIGHTS EXCLUDED)

| 0 | ТҮРЕ | MATERIAL | WEIGHTS | CODE |
|------------------|------|-----------------------|--|----------|
| Region Line | Case | Plastic | Max. 12 compartments for fractions from 1 mg to 5 g + Max 4 compartments for fractions from 1 g to 5 g + 1 tong compartment | B2721 |
| Sand Sand | Case | Aluminium | 1 mg - 500 mg | BWSAM05 |
| | Case | Aluminium | 1 mg - 200 g | BWSA200 |
| | Case | Aluminium | 1 mg - 1 kg | BWSAK1 |
| | Case | Aluminium | 1 mg - 2 kg | BWSAK2 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg | BWSAK5 |
| 33. | Case | Aluminium | 1 kg, 2x2 kg, 5 kg, 10 kg | BWSAK10 |
| 7 | Case | Wood, velvet interior | 1 mg - 1 kg | BWSLEK1 |
| | Case | Wood, velvet interior | 1 mg - 2 kg | BWSLEK2 |
| | Case | Wood, velvet interior | 1 mg - 5 kg | BWSLEK5 |
| C | Case | Wood, velvet interior | 1 mg - 10 kg | BWSLEK10 |
| @@@@@@ @@@@@@ | Case | Wood, velvet interior | Max. 24 compartments for fractions from 1 mg to 100 g + 1 tong compartment | BWSLV100 |
| | Case | Plastic | Max. 9 compartments for fractions from 100 g to 5 kg | B100K5 |
| | Case | Plastic | Max. 26 compartments for fractions from 1 mg to 2 kg + 1 tong compartment | BMK2 |
| | Case | High-quality plastic | Max. 12 compartments for fractions 1 g to 500 g + 1 accessory compartment | BM500 |
| | Case | High-quality plastic | Max. 28 compartments for fractions 1 mg to 500 g + 1 accessory compartment | BM500M |
| | Case | High-quality plastic | Max. 16 compartments for fractions 1 g to 5 kg + 1 accessory compartment | вмк5 |
| 1 | Case | High-quality plastic | Max. 32 compartments for fractions 1 mg to 5 kg + 1 accessory compartment | ВМК5М |

SINGLE WEIGHTS

E2

SINGLE WEIGHTS

E2 STAINLESS STEEL

Stainless steel weights, conforming to OIML-R111 Recommendation in class E2, suitable for legal metrology, industrial and research applications. The E2 accuracy class means these weights can be used for checking and calibrating scales and instruments up to 300.000e.

Ideal for ISO quality weighing instrument verification.











TECHNICAL FEATURES

| WEIGHTS | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|---|
| | Accuracy class | E2 |
| | , | |
| | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m ³ |
| | Tolerance | See tolerances table on page 10 |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SERVICE | | DESCRIPTION | CODE | |
|----------|-------------------------|--|--------------------|--|
| (A) | Accredia | Accredia calibration certificate. | See versions table | |
| H | calibration | Surcharge for issuing individual certificates. | CTDIV | |
| ✓ | Initial verification | Initial mass verification (legal metrology). The service is carried out through the Provincial Metric Service. | VPML | |
| = | | CIBE laser marking (format: ynnnn) for masses and weights of all accuracy classes, from 10 mg up to 20 kg. | LASERT1 | Price per unit up to 2 masses |
| abla | Laser marking | | LASERT2 | Price per unit from 3 to 10 masses |
| 利气 | | | LASERT3 | Price per unit for more than 10 masses |
| | | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. |
| 0 | Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. |
| Ų, | control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * |
| | | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * |
| | | Accredia Express Calibration Service in 2 working days (see section "Sales Conditions") | EXP | |

^(*) Net price per certificate.
(**) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided.

Ξ

E2

四

| | | | | ADDITIONAL SERVICES | |
|--------|-------|-----------------------|---------|----------------------|---|
| | | | | ACCREDIA CALIBRATION | OTHER |
| VALUE | SHAPE | DIMENSIONS Ø x h (mm) | CODE | CODE | |
| I mg | • | | WE2M1 | CE250 | √ \ |
| 2 mg | • | | WE2M2 | CE250 | √ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| 5 mg | • | | WE2M5 | CE250 | √ \ G |
| 0 mg | • | | WE2M10 | CE250 | √ \ |
| 20 mg | | | WE2M20 | CE250 | √ \ |
| 50 mg | • | | WE2M50 | CE250 | √ \ a |
| 100 mg | ▼ | | WE2M100 | CE250 | √ \ a |
| 200 mg | | | WE2M200 | CE250 | √ \ a |
| 500 mg | • | | WE2M500 | CE250 | √ \ |
| l g | i | 6 x 6 | WE21 | CE250 | √ \ a |
| 2 g | i | 6 x 10 | WE22 | CE250 | √ \ a |
| 5 g | i | 8 x 15 | WE25 | CE250 | √ \ a |
| 10 g | i | 10 x 19 | WE210 | CE250 | √ \ a |
| 20 g | i | 13 x 21 | WE220 | CE250 | √ \ a |
| 50 g | i | 18 x 29 | WE250 | CE250 | √ \ a |
| 100 g | i | 22 x 38 | WE2100 | CE2K1 | √ \ a |
| 200 g | i | 28 x 50 | WE2200 | CE2K1 | √ \ |
| 500 g | i | 38 x 66 | WE2500 | CE2K1 | √ \ |
| 1 kg | i | 48 x 82 | WE2K1 | CE2K1 | √ \ |
| 2 kg | i | 60 x 105 | WE2K2 | CE2K10 | √ \ |
| 5 kg | i | 80 x 144 | WE2K5 | CE2K10 | √ \ a |
| 10 kg | ě | 100 x 184 | WE2K10 | CE2K10 | √ \ |

MULTI-RANGE SCALES SINGLE RANGE SCALES SINGLE WEIGHTS

Ā

Ā

E2

П

ACCESSORIES: CASES FOR SINGLE WEIGHT (WEIGHT EXCLUDED)

| O | MATERIAL | WEIGHT | CODE |
|------|-----------------------|--------------|---------|
| | Plastic round | 1 100 - | DM/5400 |
| | | 1 mg - 100 g | BM45100 |
| | Plastic round | 200 g | BM45200 |
| | Plastic round | 500 g | BM45500 |
| | Plastic round | 1 kg | BM65K1 |
| | Plastic round | 2 kg | BM65K2 |
| | Plastic round | 5 kg | BM65K5 |
| | Plastic round | 10 kg | BM65K10 |
| DI T | Aluminium | 5 kg | BAK5 |
| | Aluminium | 10 kg | BAK10 |
| 29 | Aluminium | 20 kg | BAK20 |
| | Wood, velvet interior | 1 mg - 500 m | BW05 |
| | Wood, velvet interior | 1 g | B9501LE |
| | Wood, velvet interior | 2 g | B9502LE |
| | Wood, velvet interior | 5 g | B9503LE |
| St. | Wood, velvet interior | 10 g | B9504LE |
| | Wood, velvet interior | 20 g | B9505LE |
| | Wood, velvet interior | 50 g | B9506LE |
| | Wood, velvet interior | 100 g | B9507LE |
| 0.50 | Wood, velvet interior | 200 g | B9508LE |
| | Wood, velvet interior | 500 g | B9509LE |
| | Wood, velvet interior | 1 kg | B9510LE |
| | Wood, velvet interior | 2 kg | B9511LE |
| | Wood, velvet interior | 5 kg | B9512LE |
| | Wood, velvet interior | 10 kg | B9513LE |
| | Wood, velvet interior | 20 kg | B9514LE |

OTHER ACCESSORIES

| O | DESCRIPTION | CODE |
|----|--|--------------------|
| 33 | Cotton glove | GNT |
| | Brush length 100 mm Ø 10 mm | PNL10X100 |
| | Weight tongs length 105 mm | PNZ105 |
| | Weight tongs length 130 mm | PNZ130 |
| | Weight tongs length 230 mm | PNZ230 |
| | Handle for E kg cylindrical mass | EDVE ka |
| | Handle for 5 kg cylindrical mass Handle for 10 kg cylindrical mass | FRK5 kg HND10KG |
| | Handle for 20 kg cylindrical mass | HND20KG |

<u>≥</u>

卫

ACCESSORIES: CASES FOR WEIGHT SETS (WEIGHTS EXCLUDED)

| Ø | ТҮРЕ | MATERIAL | WEIGHTS | CODE |
|--|------|-----------------------|--|----------|
| Arreit. | Case | Plastic | Max. 12 compartments for fractions from 1 mg to 5 g + Max 4 compartments for fractions from 1 g to 5 g + 1 tong compartment | B2721 |
| 6333 | Case | Aluminium | 1 mg - 500 mg | BWSAM05 |
| | Case | Aluminium | 1 mg - 200 g | BWSA200 |
| C C | Case | Aluminium | 1 mg - 1 kg | BWSAK1 |
| | Case | Aluminium | 1 mg - 2 kg | BWSAK2 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg | BWSAK5 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg, 10 kg | BWSAK10 |
| | Case | Wood, velvet interior | 1 mg - 1 kg | BWSLEK1 |
| | Case | Wood, velvet interior | 1 mg - 2 kg | BWSLEK2 |
| | Case | Wood, velvet interior | 1 mg - 5 kg | BWSLEK5 |
| | Case | Wood, velvet interior | 1 mg - 10 kg | BWSLEK10 |
| Chocococococococococococococococococococ | Case | Wood, velvet interior | Max. 24 compartments for fractions from 1 mg to 100 g + 1 tong compartment | BWSLV100 |
| | Case | Plastic | Max. 9 compartments for fractions from 100 g to 5 kg | B100K5 |
| | Case | Plastic | Max. 26 compartments for fractions from 1 mg to 2 kg + 1 tong compartment | BMK2 |
| | Case | High-quality plastic | Max. 12 compartments for fractions 1 g to 500 g + 1 accessory compartment | BM500 |
| | Case | High-quality plastic | Max. 28 compartments for fractions 1 mg to 500 g + 1 accessory compartment | BM500M |
| | Case | High-quality plastic | Max. 16 compartments for fractions 1 g to 5 kg + 1 accessory compartment | вмк5 |
| | Case | High-quality plastic | Max. 32 compartments for fractions 1 mg to 5 kg + 1 accessory compartment | ВМК5М |

Æ

E2

SINGLE WEIGHTS

E1 STAINLESS STEEL

Stainless steel weights, conforming to OIML-R111 in class E1, suitable for legal metrology, industrial and research applications.

The E1 accuracy class means these weights can be used for checking and calibrating scales and instruments beyond 300.000 divisions.

Ideal for ISO quality weighing instrument verification.







TECHNICAL FEATURES

| | Shape | Ergonomic design for a firm and secure gripping |
|---------|----------------|---|
| | Accuracy class | E1 |
| WEIGHTS | Compliance | OIML-R111 |
| | Material | Polished, austenitic stainless steel |
| | Density | 7.950 kg/m³ |
| | Tolerance | See tolerances table on page 10 |





CIBE has chosen stainless steel to obtain weights that maintain their accuracy characteristics over time.

ADDITIONAL SERVICES

| SERVICE | DESCRIPTION | CODE | | |
|--------------------------|---|------------|--|--|
| Accredia Calibration | Accredia calibration certificate for weights from 1 mg to 500 mg. | See versio | See versions table | |
| acalibration | Surcharge for issuing individual certificates. | CTDIV | | |
| | Compatibility control service of weights and masses. | ICMP1 | Compatibility report with previous CIBE calibration. Price up to 3 masses. | |
| Compatibility | | ICMP2 | Compatibility report with previous CIBE calibration. Price from 4 to 29 masses. | |
| control | | ICMP3 | Compatibility report without previous CIBE calibration. Price up to 3 masses. * | |
| | | ICMP4 | Compatibility report without previous C calibration. Price from 4 to 29 masses. * | |
| | For masses after volume determination. | CE1K1 | 1 g - 1 kg | |
| EA calibration *** | | CE1K10 | 2 kg - 10 kg | |
| EA calibration *** | For masses that have not undergone volume | CE1K1D | 1 g - 1 kg | |
| | determination. | CE1K10D | 2 kg - 10 kg | |

^(*) Net price per certificate.

^(**) In case the previous calibration has been performed by another laboratory, the relevant certificate must be provided. (***) EA calibration is available for weights in class E1 from 1 g to 10 kg.

Important note: Volume determination is a necessary step for weight calibration in class E1 weights 1 g up.

This operation is only necessary during the first calibration (see OIML-R111-1:2004 § 15.2.2.1).

<u>≥</u>

卫

E2

VERSIONS TABLE

| | | | | ADDITIONAL SERVICES | |
|-------|------------|-----------------------|---------|----------------------|--|
| | | | | ACCREDIA CALIBRATION | |
| VALUE | SHAPE | DIMENSIONS Ø x h (mm) | CODE | CODE | |
| mg | Δ | | WE1M1 | CE11 | |
| mg | | | WE1M2 | CE11 | |
| mg | \Diamond | | WE1M5 | CE11 | |
| O mg | Δ | | WE1M10 | CE11 | |
| 0 mg | | | WE1M20 | CE11 | |
| 0 mg | \Diamond | | WE1M50 | CE11 | |
| 00 mg | Δ | | WE1M100 | CE11 | |
| 00 mg | | | WE1M200 | CE11 | |
| 00 mg | \Diamond | | WE1M500 | CE11 | |
| g | i | | WE11 | - * | |
| g | i | | WE12 | - * | |
| g | i | | WE15 | - * | |
| 0 g | i | | WE110 | - * | |
| 0 g | i | | WE120 | - * | |
| 0 g | i | | WE150 | - * | |
| 00 g | i | | WE1100 | - * | |
| 00 g | i | | WE1200 | - * | |
| 00 g | i | | WE1500 | - * | |
| kg | i | | WE1K1 | - * | |
| kg | i | | WE1K2 | - * | |
| kg | i | | WE1K5 | - * | |
| 0 kg | i | | WE1K10 | - * | |

^(*) EA calibration is available for weights in class E1 from 1 g to 10 kg.

All weights must have a matching case for identification.

MULTI-RANGE SCALES SINGLE RANGE SCALES SINGLE WEIGHTS

Ā

E2

Ш

ACCESSORIES: CASES FOR SINGLE WEIGHT (WEIGHT EXCLUDED)

| O | MATERIAL | WEIGHT | CODE |
|-------|-----------------------|--------------|---------|
| | | l | |
| | Plastic round | 1 mg - 100 g | BM45100 |
| | Plastic round | 200 g | BM45200 |
| | Plastic round | 500 g | BM45500 |
| | Plastic round | 1 kg | BM65K1 |
| | Plastic round | 2 kg | BM65K2 |
| | Plastic round | 5 kg | BM65K5 |
| | Plastic round | 10 kg | BM65K10 |
| Di | Aluminium | 5 kg | BAK5 |
| | Aluminium | 10 kg | BAK10 |
| | Aluminium | 20 kg | BAK20 |
| | Wood, velvet interior | 1 mg - 500 m | BW05 |
| | Wood, velvet interior | 1 g | B9501LE |
| | Wood, velvet interior | 2 g | B9502LE |
| | Wood, velvet interior | 5 g | B9503LE |
| | Wood, velvet interior | 10 g | B9504LE |
| | Wood, velvet interior | 20 g | B9505LE |
| | Wood, velvet interior | 50 g | B9506LE |
| | Wood, velvet interior | 100 g | B9507LE |
| . = . | Wood, velvet interior | 200 g | B9508LE |
| | Wood, velvet interior | 500 g | B9509LE |
| | Wood, velvet interior | 1 kg | B9510LE |
| | Wood, velvet interior | 2 kg | B9511LE |
| | Wood, velvet interior | 5 kg | B9512LE |
| | Wood, velvet interior | 10 kg | B9513LE |
| | Wood, velvet interior | 20 kg | B9514LE |

OTHER ACCESSORIES

| O | DESCRIPTION | CODE |
|----|--|--------------------|
| 33 | Cotton glove | GNT |
| | Brush length 100 mm Ø 10 mm | PNL10X100 |
| | Weight tongs length 105 mm | PNZ105 |
| | Weight tongs length 130 mm | PNZ130 |
| | Weight tongs length 230 mm | PNZ230 |
| | Handle for E kg cylindrical mass | EDVE ka |
| | Handle for 5 kg cylindrical mass Handle for 10 kg cylindrical mass | FRK5 kg HND10KG |
| | Handle for 20 kg cylindrical mass | HND20KG |

<u>≥</u>

卫

E2

四

ACCESSORIES: CASES FOR WEIGHT SETS (WEIGHTS EXCLUDED)

| O | ТҮРЕ | MATERIAL | WEIGHTS | CODE |
|----------------------|------|-----------------------|--|----------|
| R.F. L. F. F. | Case | Plastic | Max. 12 compartments for fractions from 1 mg to 5 g + Max 4 compartments for fractions from 1 g to 5 g + 1 tong compartment | B2721 |
| GENERAL | Case | Aluminium | 1 mg - 500 mg | BWSAM05 |
| | Case | Aluminium | 1 mg - 200 g | BWSA200 |
| 1 1 1 1 1 | Case | Aluminium | 1 mg - 1 kg | BWSAK1 |
| | Case | Aluminium | 1 mg - 2 kg | BWSAK2 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg | BWSAK5 |
| | Case | Aluminium | 1 kg, 2x2 kg, 5 kg, 10 kg | BWSAK10 |
| 1 | Case | Wood, velvet interior | 1 mg - 1 kg | BWSLEK1 |
| 4 | Case | Wood, velvet interior | 1 mg - 2 kg | BWSLEK2 |
| | Case | Wood, velvet interior | 1 mg - 5 kg | BWSLEK5 |
| | Case | Wood, velvet interior | 1 mg - 10 kg | BWSLEK10 |
| @ 000000 @ 000000 | Case | Wood, velvet interior | Max. 24 compartments for fractions from 1 mg to 100 g + 1 tong compartment | BWSLV100 |
| | Case | Plastic | Max. 9 compartments for fractions from 100 g to 5 kg | B100K5 |
| | Case | Plastic | Max. 26 compartments for fractions from 1 mg to 2 kg + 1 tong compartment | BMK2 |
| | Case | High-quality plastic | Max. 12 compartments for fractions 1 g to 500 g + 1 accessory compartment | BM500 |
| | Case | High-quality plastic | Max. 28 compartments for fractions 1 mg to 500 g + 1 accessory compartment | ВМ500М |
| | Case | High-quality plastic | Max. 16 compartments for fractions 1 g to 5 kg + 1 accessory compartment | ВМК5 |
| | Case | High-quality plastic | Max. 32 compartments for fractions 1 mg to 5 kg + 1 accessory compartment | ВМК5М |

Sales conditions

Transport

Return of goods is Ex Works. The risks of transport, loss and/or damage to goods are borne by the buyer. Transport by our affiliated couriers is available.

Retail prices

Excluding VAT, payable by the purchaser.

Packaging

Unless otherwise stated in the order confirmation, packaging for orders of new weights is included in the price. Weights to be sent to CIBE must be received by the Laboratory in packaging suited to their weight. The Laboratory reserves the right to charge the cost of any replacement and/or upgrading of packaging if it's damaged or unsuitable for return transport, in agreement with the customer.

Order processing times

The weights are usually available for immediate delivery if no certification is required. For certified weights, the time required for certification is usually less than 5 working days, unless adjustments are necessary.


Express calibration service

Available for purchase orders of weights and weight sets including calibration and for calibration orders of weights and weight sets (subject to confirmation). Cleared within two working days for orders or material received before 12 a.m. (except for calibrated masses found to be out of tolerance).

Right of Withdrawal

The customer has the right to exercise the right of withdrawal in accordance with the conditions set out in Article 49 of the Consumer Code (Law 29/7/2003, no. 229). In this case, the consumer shall bear the cost for the return of the material in addition to any processing carried out.





COMPANY HEADQUARTERS

Via Picasso, 18/20 20025 Legnano (MI) Italy Tel. +39 0331 466611 www.cibelab.it

WHY CHOOSE CIBE?



WORLDWIDE SERVICE AND SHIPPING

CIBE is part of an international group with operations in America, Europe, India, China, Mexico and Oceania, over 900 employees and a network of specialised partners in 130 countries worldwide.



PROMPT DELIVERY

CIBE always keeps weights and in stock for prompt shipments.



MADE IN ITALY

CIBE is an Italian company that guarantees the highest quality standards for its products and measurements.





The information in this document is approximate and can be subject to variations without prior notice by CIBE, with respect of the norms in force.

The official technical data is available in the updated version on the en.cibelab.it web site or by contacting the CIBE Customer Service.